

Set up and Use TestNav


For step-by-step setup instructions, click the links below. *You can also read further on this page for a detailed overview on installable TestNav, App Check, and saved response file (SRF) and log files.*

Page Name Changes


Some page names in this section (listed below) have recently changed. To link to a page, you must use the *tiny link* to avoid a broken link when a page name changes.

▼ [Click to view tiny link information...](#)

Click the three dots at the top-right of the page, and click **Link to this Page...**



Copy the tiny link.



- [Set Up TestNav on OS X, macOS](#)
- [Set Up TestNav on Windows](#)
- [Set Up TestNav on Linux](#)
- [Set Up TestNav on Android](#)
- [Set Up TestNav on Chrome OS](#)
- [Set Up TestNav on iOS](#)

Wireless Testing Best Practices

If you're testing wirelessly, use the following best practices:

- Use the most wireless access points (WAPs) possible.
- Limit the number of computers per WAP.
- Limit **distance** and **obstructions** between devices and the WAPs.
- Run an infrastructure trial to test capacity and performance.

Understand App Check

You can find App Check on the TestNav **Sign In** page. App Check confirms that the device or computer can connect to TestNav and that it is configured to start TestNav in kiosk mode. An optional configuration identifier may be entered to validate additional TestNav configurations from the assessment management system.

See the *Run App Check* section on each setup page for basic step-by-step instruction.

App Check does not check screen size or resolution. If a student attempts to sign in to a test on a device *that does not meet support minimums*, TestNav may display an error. See [TestNav System Requirements](#) for support minimums.

Understand SRF and Log Files

When a student responds to a test question, TestNav sends the response to the Pearson server. If the network experiences a connectivity issue, or the student encounters an error, TestNav preserves the response to a saved response file (SRF).

TestNav also creates a log file during the testing session. These files help Pearson troubleshoot issues, if they occur.

After connectivity is reestablished, and responses successfully save to the Pearson server, TestNav deletes the SRF.

For Windows and Mac, you must configure student accounts to have complete read, write, and delete access in all save locations. Pearson strongly recommends that you configure a shared network folder that all testing computers can access as a secondary save location for SRFs to ensure that you do not lose responses, even if a student cannot continue to test on the same computer. You must verify that you can access the location from multiple testing computers.

You cannot configure the log file save location.

Secondary Save Location

You can place backup SRFs in a directory on the network file server, on the student's testing computer, or on a secure file transfer protocol (SFTP) site. The following table outlines the pros and cons of each option; however, as a best practice, Pearson recommends using *two options* - one for a primary save location (browser-based and the TestNav app) and the other for the secondary save location.

| Back up location options | Pros | Cons |
|--|---|--|
| Directory on network computer | Backup file <i>is accessible</i> from other computers. | <ul style="list-style-type: none">• Uses more internal network bandwidth.• Responses save to the network drive more slowly than to the local directory. As a result, test items take more time to load.• Does not provide secondary save for the devices below:<ul style="list-style-type: none">• Android devices• Chromebooks• iPads |
| Local directory on testing computer (TestNav client) | <ul style="list-style-type: none">• Uses less internal network bandwidth.• Responses save to local directory more quickly than to the network drive. As a result, test items take less time to load. | <ul style="list-style-type: none">• Backup file <i>is not accessible</i> from any other computer.• Does not provide secondary save for the devices below:<ul style="list-style-type: none">• Android devices• Chromebooks• iPads |
| SFTP <i>Note: SFTP configuration is not supported by all assessment management systems. Consult your assessment management system user guide to determine whether the SFTP option is available.</i> | Provides secondary save location for all supported testing computers and devices. | Requires SFTP site setup. |

You should familiarize yourself with default response file backup locations. Some save locations are configurable. See each setup page for details and instructions.

If you set a network file server as a primary or secondary backup location, do *not* use:

- spaces in the save location path.
- a location that requires authentication. *If authentication is required, TestNav cannot access the shared location.*

- a Windows UNC (Uniform Naming Convention) or network path, such as \\ComputerName\SharedFolder\Resource on a Mac or Linux. *Pearson recommends that you specify a mapped drive location, such as D:\TopDirectory\NextDirectory\SaveLocation.*
-